



# HIACE

Hiace vans have gone tirelessly about their business throughout New Zealand for many years making them the most preferred vans by a long stretch. Whether it's short haul city deliveries or carrying large bulky items long distances Hiace vans have a deserved reputation as the reliable workhorse of many businesses.

**The Hiace exterior design** uses a sleek windscreen angle, increased body rigidity and integrated air dams on the outer edges of the front bumper to regulate air flow giving you a smooth and quiet ride.

**Built-in safety** is the result of dedicated research pursuing crash safety while increasing load space. Standard features across the range include an energy absorbing steering column, impact absorbing structures in the pillar garnishes, side door impact bars, and a link-type brake pedal to minimise intrusion into the driver's foot well. Driver and front passenger airbags plus pre-tensioning front seatbelts with force limiters are standard for all models.

Hiace ZX has 540mm more floor length and 300mm more load space height than Hiace ZL

Hiace braking systems feature ventilated front disc brakes. An Anti-lock Braking System (ABS) with Brake Assist (BA) is standard for all models.


**Interior design** with a focus on ergonomics ensures full control and ease of driving at all times. Indicators and switches are positioned for maximum visibility and intuitive operation. The dash-mounted shift lever allows pass-through access from either side of the cabin. Ergonomic seat design contributes to a fatigue-free driving experience on long trips and in stop-and-go city traffic, keeping you refreshed, alert and focused on the road ahead.

Powerful mechanical design gives Hiace the heart to run all day, everyday. For all body styles there is a choice of 5-speed manual or 4-speed electronically controlled (ECT) automatic transmissions. The ZL van can be powered by a 2.7 litre petrol engine designed for the needs of commercial use. This engine produces 111kW of power at 4800rpm and 241Nm of torque at 3800rpm. For diesel fans the 3.0 litre turbo charged and intercooled common rail engine available in all models delivers 100kW of power at 3400rpm and an impressive 300Nm of torque from just 1200rpm.




Flush body surfaces and integrated side door rails make all Hiace models quiet achievers on the road.





The 2.7 litre petrol engine has the same level of sophistication as engines found in many passenger cars but with power and torque output developed to meet the needs of commercial drivers.



The 3.0 litre common rail turbo diesel engine is a four cylinder 16 valve DOHC design with intercooler that produces maximum torque from just 1200rpm.



#### HIACEZL

5 speed manual or 4 speed auto transmission











All models have airbags for driver and front passenger.



Door pockets on both sides have a circular recess to hold your drink bottle.



Ample covered storage helps keep the interior clutter free and prevents reflective objects interfering with visibility.





The image from the reversing camera is displayed within the rear view mirror.

## Hiace ZL 5 door van FACTS AND FIGURES

→ Overall length:	4695mm
→ Overall width:	1695mm
→ Overall height:	1980mm
→ Wheelbase:	2570mm
→ Loadspace length:	2930mm
→ Loadspace width:	1545mm
→ Loadspace height:	1335mm
ightarrow Kerb weight petrol - manual:	1700-1755kg
→ Kerb weight petrol - auto:	1705-1760kg
→ Kerb weight diesel - manual:	1795-1870kg
→ Kerb weight diesel - auto:	1805-1880kg
→ Gross vehicle weight:	2800kg
→ Max towing capacity - braked/unbraked:	1400/700kg



Hiace ZL driver and front passengers have an expansive view over the clean dash. In the wide bodied ZX model the view is even broader.

The audio system includes an AM/FM radio with single in-dash MP3/WMA CD player, auxiliary input jack and USB connection, Bluetooth handsfree phone capability and audio streaming, voice control for audio/phone,

3 line text display, radio text and 4 speakers.



The transverse rear seat available for some Hiace ZL models expands the seating capacity by three seats. When folded there is still plenty of cargo space.



### HIACEZX

5 speed manual or 4 speed auto transmission



Diesel Automatic D.2L/100km\*



An important feature is the dash mounted gear lever that maximises interior space.



The fold down table in ZL and ZX vans allows important documents to be kept close at hand.



The cab forward design neatly packages the engine under the front passenger seat.



ZX van now has left and right side sliding doors for easy access to the cargo area.



### Hiace ZX 5 door van FACTS AND FIGURES

→ Overall length:	5380mm
Overall width:	1880mm
→ Overall height:	2285mm
→ Wheelbase:	3110mm
→ Loadspace length:	3470mm
→ Loadspace width:	1730mm
→ Loadspace height:	1635mm
→ Kerb weight - manual:	1955-2030kg
→ Kerb weight - auto:	1965-2040kg
→ Gross vehicle weight:	3200kg
→ Max towing capacity - braked/unbraked	l: 1400/700kg



With its large load area the Hiace ZX van will easily swallow standard building products. The low level loading, rear step bumper and tie-down hooks makes ZX the large van of choice. With ample space between the rear wheel arches, standard building panels fit with ease.








# Hiace 4 door Minibus

→ Overall length:	5380mm
→ Overall width:	1880mm
→ Overall height:	2285mm
→ Wheelbase:	3110mm
→ Seating capacity:	12
→ Kerb weight - manual:	2130-2160kg
→ Kerb weight - auto:	2140-2170kg
→ Gross vehicle weight:	3200kg
→ Max towing capacity - braked/unbraked:	1400/700kg

 $<sup>^*</sup>$  Fuel consumption and CO  $_2$  emissions will vary depending on driving conditions/style, vehicle condition and options/accessories fitted. ADR 81/01 (combined).



Interior comfort is paramount for happy, relaxed passengers.
Full cabin air-conditioning delivered through ceiling vents and
grab handles on each seat back are welcome features. Passengers travel
in comfort and safety thanks to all seats having 3-point ELR seat belts.



As well as having plenty of space inside, the Minibus side door has been designed with ample head room for easy entry and exit.

#### Hiace exterior colours

French Vanilla

Quicksilver MICA METALLIC Magma Red

3L5 FIRM DEALER ORDER Green Aspen

1

Cascade Blue MICA METALLIC 8P4 FIRM DEALER ORDER

#### Hiace seat trim

Dark Grey fabric



	LUACE CRECIEICATIONS				
	<b>HIACE</b> SPECIFICATIONS	HIACE ZL	HIACE ZX	HIACE MINIBUS	
MECHANICAL SPECIFICATIONS	The 2.7L petrol engine is a 4 cylinder In-line 16 valve DOHC (Double Overhead Cam) design with VVT-i (Variable Valve Timing-intelligent). Maximum power of 111kW is produced @ 4800rpm and maximum torque is 241Nm @ 3800rpm. Electronic fuel injection system.	•			
	91 octane petrol is recommended. Fuel tank capacity is 70 litres.	•			
	Fuel consumption*: Manual - 12.1L/100km); Automatic - 12.3L/100km).	•			
	The 3.0 litre intercooled turbo diesel engine is a 4 cylinder In-line 16 valve DOHC (Double Overhead Cam) design.  Maximum power of 100kW is produced @ 3400rpm and maximum torque is 300Nm @ 1200~2400rpm. Direct injection system.	•	•	•	
	Diesel is required. Fuel tank capacity is 70 litres.	•	•	•	
	Fuel consumption*: Manual - 8.0L/100km); Automatic - 8.5L/100km).	•			
	Fuel consumption*: Manual - 8.7L/100km); Automatic - 9.2L/100km).		•	•	
	5-speed manual transmission.	•	•	•	
	4-speed electronically controlled automatic transmission (ECT) with lock-up torque converter and shift lock system.	•	•	•	
ING KES ION	Suspension - Front is fully independent double wishbone with upper torsion bar. Rear suspension is leaf spring with rigid axle.	•	•	•	
TEERING BRAKES PENSION	Steering is engine speed sensitive power assisted rack and pinion with 4.1 turns lock to lock.	10.0m turn circle	12.4m turn circle	12.4m turn circle	
SUS	Braking is by power-assisted ventilated front disc and rear drum brakes.	•	•	•	
	Anti-lock Braking System (ABS) with Brake Assist (BA). Dash lever type mechanical parking brake.	•	•	•	
ETY	Driver and passenger front airbags.	•	•	•	
SAFETY	2 x 3-point ELR outer seat belts with pre-tensioners.	•	•	•	
	1 x 2-point NR centre front seat belt.	•	•		
	10 x 3-point ELR rear seat belts.			•	
	Back monitor display in rear view mirror.	•	•	•	
NTERIOR TURES & ENIENCE	4-spoke soft feel urethane steering wheel.  Dark grey fabric seat material and door trim; driver's seat with slide and recline functions; front bench seat with recline function; fold down centre backrest with small items tray; front assist grips.	• Seats 3	•	•	
CON	Dark grey fabric seat material and door trim; driver's seat with slide and recline functions; separate front passenger seats with slide and recline functions; fold down centre backrest with small items tray; front assist grips.		Seats 3		
	Dark grey fabric seat material and door trim; driver and front passenger seats with slide and recline functions; 10 rear seats with recline function. Front and rear passenger assist grips.			Seats 12 including driver	
	Air conditioning - front	•	•	Rear cooler	
	Power front windows with anti-jam safety function (driver's window with auto up/down).	•	•	•	
	Single front and rear door operated interior room lights.	•			
	Dual rear door operated interior room lights; side step light.		•	•	
	Glovebox and door pockets with drink bottle holders.	•	•	•	
	Back door inside handle with lock.			•	
	Remote central door locking.	•	•	•	
AUDIO	AM/FM radio, single disc in-dash MP3/WMA CD player, auxiliary input jack and USB connection, Bluetooth handsfree and audio streaming, Bluetooth phonebook access profile and voice control for audio/phone.	2 speakers	2 speakers	4 speakers	
EXTERIOR	Steel wheels are 6JJx15" fitted with 195/80R15 steel belted radial ply tyres. Full size spare wheel.	•	•	•	
	Tinted laminated windscreen; washer-linked variable intermittent wipers; green tinted side and rear glass with UV reduction; intermittent rear wiper.	•	•	•	
	Halogen headlights.	•	•	•	
	Black bumpers, exterior door handles and electric exterior rear view mirrors. Silver painted grille.	•	•	•	
	Front and rear mudflaps.	•	•	•	
	Luggage tie-down hooks.	•	•	•	
	Additional foldonic and an advantage of the second control of the				
OPTION	Additional folding rear transverse bench seat extends seating capacity to 6 - available for ZL manual petrol and ZL manual diesel models.	•			

Because Toyota believes in going the extra mile we offer comprehensive support and a great range of products and services for our valued customers. For more detail please visit: www.toyota.co.nz/extracare

Follow us on:



















whichever occurs first under normal operating conditions.
\*Fuel consumption and CO<sub>2</sub> emissions will vary depending on driving conditions/style, vehicle condition and options/accessories fitted. ADR 81/01 (combined).